



---

# Lite Spot R10

*Product Code: SG LTSPOTR10Z*

Moving head spot R10 250W zoom



### **Light source**

- 1x250W white led high brightness
- Color temperature: 7500K
- LED lifespan: > 50.000h
- LED refresh frequency: > 400Hz flicker-free

### **Optic system**

- Beam Angle: zoom from 12° to 32°
- Electronic focus
- Luminous flux: 8650 lux @ 5mt (11°)

### **Color system**

- Color wheel with 7 colors + white

### **Effects**

- 6 dichroic rotating gobos, the gobos are interchangeable with the "plug & play" system. Gobo size 23mm / focus 16mm
- Bidirectional rotating and indexable gobos
- Gobo shacking effect
- Gobo scroll effect with adjustable speed
- Gobo wheel: 8 metal static gobos + white
- 3-facets circular rotating prism with adjustable speed
- Color rainbow effect
- High speed and precision Zoom
- Linear dimmer 0-100%
- High speed electronic strobe max.25 flashes/s, with adjustable speed
- Random strobe and pulse dimmer effects with adjustable speed

### **Control and programming**

- 3 DMX configurations available: 14/16/18 channels
- Protocol USITT DMX 512
- Pan&Tilt 8/16 bit selectable
- Master/Slave mode
- Reset via DMX

### **Structure and cabinet**

- Black metal housing and high resistance plastic ABS materials
- Color LCD display
- Selectable Pan angle 360° / 540° / 630°
- Selectable tilt angle 90° / 180° / 270°
- Mounting points: 1 pairs of 1/4-turn locks omega older
- Automatic repositioning of Pan and Tilt
- XLR 3-poles DMX IN/OUT connection
- IP rating: IP20
- Forced air cooling system with electronic control

### **Power supply**

- Input Voltage: AC~100-240V, 50/60 Hz
- Switching power supply unit
- Max power: 290W @ 230VAC
- Power input with PowerCON connector
- Power supply cable 1,0 mt included

#### **Weight and dimesions**

- Net weight: 14,2 kg
- Dimensions: 360x205x510 mm

Technical specifications and appearances are subject to change without notice and accuracy is not guaranteed. All trademarks are the property of their respective owners. PROEL accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph or statement contained herein. Colors and specifications may vary from actual product. PROEL products are sold through authorized fullfillers and resellers only. This manual is copyrighter. No part of this manual may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording of any kind, for any purpose, without the express written permission of PROEL - Via alla Ruenia 37/43 - CAP 64027 - Sant'Omero (TE) ITALY.

Sagitter is a brand of Proel Spa | Via alla Ruenia  
37/43 64027 Sant'Omero (TE) ITALY  
Tel. +39 0861 81241 | Fax. +39 0861 887862 |  
[www.sagitter.com](http://www.sagitter.com)

