

HS 1026

SPOTLIGHT CEILING SPEAKER

DESCRIPTION

The HS Series are fullrange speakers that can be flush-mounted in false ceilings like normal halogen spots used in lighting systems. Quick and easy installation in false ceilings of varying thickness thanks to the adaptable spring hooks and the standard size of the mounting hole.



FEATURES

- For paging and background music
 - Music power / RMS: 24 / 6 W
 - 2.5" extended range loudspeaker
 - High-pass filter for use with optional subwoofer
 - Low impedance (8Ω) or 100V
 - Built-in multi-tapped transformer for 100/70V constant voltage connection
 - Ease of installation in standard holes used for lightspots
-

TECHNICAL SPECIFICATIONS**Acoustical specifications**

Frequency Response (-10dB):	220 Hz ÷ 17000 Hz
Max SPL @ 1m:	102 dB
Coverage angle:	180°
System Sensitivity:	89 dB

Power section

Nominal Impedance (ohm):	8 ohm
Power Handling:	6 W RMS
Peak Power Handling:	24 W PEAK
Recommended Amplifier:	12 W

Transducers

Fullrange:	3.5"
------------	------

Input/Output section

Input connectors:	Screw Terminals
Output connectors:	Screw Terminals
Constant Voltage Transformer:	70/100 V
Power selection 1 (100 V):	6 W - 1667 ohm
Power selection 2 (100 V):	3 W - 3333 ohm
Power selection 3 (100 V):	1.5 W - 6667 ohm

Standard compliance

CE marking:	Yes
-------------	-----

Physical specifications

Cabinet/Case Material:	Plastic
Hardware:	Metal clamps
Grille:	Steel
Color:	White

Size

Depth:	91 mm / 3.58 inches
Recessed Depth:	85 mm / 3.35 inches
Diameter:	104 mm / 4.09 inches
Cut out diameter:	92 mm / 3.62 inches
Weight:	0.08 kg / 0.18 lbs

Shipping informations

Package Height:	130 mm / 5.12 inches
Package Width:	130 mm / 5.12 inches
Package Depth:	110 mm / 4.33 inches
Package Weight:	0.69 kg / 1.52 lbs



PART NUMBER







- 13110062**

HS 1026 W







White

EAN 8024530010096

DRAWINGS



HORIZONTAL 1/3 POLAR PLOT



VERTICAL 1/3 POLAR PLOT

