

L15P540

WOOFER

DESCRIPTION

High power 15" woofer.

Very good power handling, excellent linearity and very low distortion. Very efficient heat dissipation in ensured by a radiator that is part of the basket design. The air is forced in the radiator thanks to a dual sealed spider design.



FEATURES

- 3-inch, fiberglass inside/outside copper voice coil
- 1000W continuous program power handling
- 98 dB Sensitivity
- 40 Hz 2 kHz Frequency range
- Dual spider design with silicon based dampening control
- M-roll surround and exponential cone geometry



TECHNICAL SPECIFICATIONS

General specifications	Nominal Diameter:	15 inch / 381 mm
------------------------	-------------------	------------------

Rated Impedance: 8 ohm
Program Power (watt): 1000 W
Power handling capacity: 500 W
Sensitivity: 98 dB

Frequency range: 40 - 2000 Hz

Effective piston diameter: 330 mm / 12.99 inch

Max. Excursion Before Damage: 36 mm / 1.42 inch

Minimum Impedance (ohm): 6 ohm

Voice Coil Diameter: 3.0 inch / 76 mm

Voice Coil Winding Material: Copper

Voice Coil Length: 18 mm / 0.71 inch

Number of layers: 2

Kind of layers: inside/outside

Top Plate Thickness: 10 mm / 0.39 inch

Cone Design: Curved
Surround Material: Polycotton
Surround Design: M-roll
Magnets: Ceramic

Spider: Dual with silicon based damping control

5.60 ohm

Thiele - small parameters Resonance frequency (Fs): 50 Hz

DC resistance (Re) (ohm):

Mechanical factor: 9.70 Qms Electrical factor: 0.41 Qes Total factor: 0.39 Qts BI factor (BI) (T x m): 21.40 T x m Effective moving mass (Mms): 106 gr Equivalent Cas air loaded (Vas): 100 liters 0.09 m2 Effettive piston area (Sd): Max. linear excursion (Xmax): 7 mm Voice coil inductance @ 1kHz (Le1k): 1.50 mH Half-space efficency (Eff): 2.94%

Mounting informations Overall diameter: 387 mm / 15.24 inches

Bolt circle diameter: 371 mm / 14.61 inch
Bolt hole diameter: 7 mm / 0.28 inch
Front mount baffle cut-out: 352 mm / 13.86 inch
Rear mount baffle cut-out: 360 mm / 14.17 inch
Volume occupied by the driver: 3.8 liters / 0.15 ft3

Standard compliance CE marking: Yes

Physical specificationsColor:Black

DATASHEET



SizeHeight:184 mm / 7.24 inchesDiameter:387 mm / 15.24 inchesWeight:8.8 kg / 19.4 lbsShipping informationsPackage Height:225 mm / 8.86 inches

Package Width: 435 mm / 17.13 inches
Package Depth: 435 mm / 17.13 inches
Package Weight: 10.2 kg / 22.49 lbs

PART NUMBER

· 11165015

L15P540 8ohm









