

# **MB12G301**

MID-BASS

### **DESCRIPTION**

High efficiency 12" mid-bass. Very high sensitivity, excellent linearity and very low distortion. Voice coil construction, suspensions and cone materials designed to survive at 400 Watt RMS power.



# **FEATURES**

- 3-inch, fiberglass inside/outside copper voice coil
- 800W continuous program power handling
- 98 dB Sensitivity
- 50 Hz 3 kHz Frequency range
- M-roll surround and exponential cone geometry



#### **TECHNICAL SPECIFICATIONS**

General specifications	Nominal Diameter:	12 inch / 305 mm
------------------------	-------------------	------------------

Rated Impedance: 8 ohm
Program Power (watt): 800 W
Power handling capacity: 400 W
Sensitivity: 98 dB

Frequency range: 50 - 3000 Hz

Effective piston diameter: 260 mm / 10.24 inch
Max. Excursion Before Damage: 38 mm / 1.5 inch

Minimum Impedance (ohm): 7 ohm

Voice Coil Diameter: 3.0 inch / 76 mm
Voice Coil Winding Material: Aluminium

Voice Coil Length: 16 mm / 0.63 inch

Number of layers: 2

Kind of layers: inside/outside

Top Plate Thickness: 4 mm / 0.16 inch

Cone Design: Curved
Surround Material: Polycotton
Surround Design: M-roll
Magnets: Ceramic
Spider: Single

**Thiele - small parameters** Resonance frequency (Fs): 53 Hz

DC resistance (Re) (ohm):

Mechanical factor: 4.70 Qms Electrical factor: 0.28 Qes Total factor: 0.27 Qts BI factor (BI) (T x m): 17.00 T x m Effective moving mass (Mms): 48 gr Equivalent Cas air loaded (Vas): 72 liters Effettive piston area (Sd): 0.05 m2 Max. linear excursion (Xmax): 6 mm Voice coil inductance @ 1kHz (Le1k): 0.70 mH

Half-space efficency (Eff): 3.69%

**Mounting informations** Overall diameter: 320 mm / 12.6 inches

Bolt circle diameter: 294-304 mm / 11.57-11.97 inch

5.40 ohm

Bolt hole diameter: 7 mm / 0.28 inch
Front mount baffle cut-out: 282 mm / 11.1 inch
Rear mount baffle cut-out: 284 mm / 11.18 inch
Volume occupied by the driver: 2.6 liters / 0.1 ft3

**Standard compliance** CE marking: Yes

# DATASHEET



 Size
 Height:
 146 mm / 5.75 inches

 Diameter:
 320 mm / 12.6 inches

Weight: 7 kg / 15.43 lbs

**Shipping informations** Package Height: 210 mm / 8.27 inches

Package Width: 360 mm / 14.17 inches
Package Depth: 360 mm / 14.17 inches

Package Weight: 8 kg / 17.64 lbs

## **PART NUMBER**

• 11100017

MB12G301

8ohm







