

TT 25-CXA

ACTIVE HIGH DEFINITION COAXIAL MONITOR

DESCRIPTION

The TT25-CXA is a full range, high performance coaxial monitor. The linear response curve, the consistent coverage and acoustic output make the TT25-CXA II the professional choice for most demanding situations. The voicing is accurate and deep, the sound is transparent in the mids and extremely accurate at very high frequencies. The size is compact and the profile is very low for a discreet appearance. The TT25-CXA is a high power active system that sets a new standard in the touring and theatre sound reinforcement. By producing flat amplitude and phase response, full-range bandwidth and exceptional impulse response, the TT25-CXA far exceeds the capabilities of conventional stage monitors.



FEATURES

- 1100 W Class D Amplifier
- 60 x 60 constant directivity coverage angle
- 15" neo coaxial woofer, 3.5" mm voice coil
- 1.5" neo coaxial c. driver, 2.5" mm voice coil
- DSP Processing
- Onboard RDNet Control
- Multifunctional cabinet
- Very high output

TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response:	50 Hz ÷ 20000 Hz
	Max SPL @ 1m:	133 dB
	Horizontal coverage angle:	60°
	Vertical coverage angle:	60°
Transducers	Compression Driver:	Coaxial 1.5" neo, 2.5" v.c
	Woofer:	Coaxial 15" neo, 3.5" v.c
Input/Output section	Input signal:	bal/unbal
	Input connectors:	XLR, RDNet Ethercon
	Output connectors:	XLR, RDNet Ethercon
	Input sensitivity:	-2 dBu/+4 dBu
Processor section	Crossover Frequencies:	900 Hz
	Protections:	Thermal, HF
	Limiter:	Soft Limiter
	Controls:	Proces., 8 sel. presets
	RDNet:	Yes
Power section	Total Power:	2200 W Peak, 1100 W RMS
	High frequencies:	600 W Peak, 300 W RMS
	Low frequencies:	1600 W Peak, 800 W RMS
	Cooling:	Convection
	Connections:	Powercon IN/OUT
Standard compliance	CE marking:	Yes
Physical specifications	Cabinet/Case Material:	Baltic birch plywood
	Handles:	1 Top
	Pole mount/Cap:	Yes
	Grille:	Steel
	Color:	Black
Size	Height:	353 mm / 13.9 inches
	Width:	580 mm / 22.83 inches
	Depth:	486 mm / 19.13 inches
	Weight:	18 kg / 39.68 lbs
Shipping informations	Package Height:	615 mm / 24.21 inches
	Package Width:	390 mm / 15.35 inches
	Package Depth:	515 mm / 20.28 inches
	Package Weight:	23 kg / 50.71 lbs

PART NUMBER

- **13000449**

TT 25-CXA

115V


EAN 8024530013028







- **13000448**

TT 25-CXA


220-240V

EAN 8024530012977







Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal One Octave Polars




Vertical 1/3 Octave Polars




Vertical 1/3 Octave Polars




Vertical 1/3 Octave Polars




Vertical 1/3 Octave Polars




Vertical 1/3 Octave Polars



Vertical 1/3 Octave Polars



Vertical 1/3 Octave Polars



Vertical One Octave Polars

